

23MY ISUZU D-MAX SPECIFICATIONS

| Engine | 3.0L | 1.9L |
|-------------------|--|--|
| Series | Isuzu 4JJ3-TCX | RZ4E-TC |
| Description | 3-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD) | 1.9-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD) |
| Maximum torque | 450Nm @ 1600 → 2600 rpm (automatic & manual) | 350Nm @ 1800 → 2600 rpm (automatic and manual) |
| Maximum power | 140kW @ 3600 rpm | 110kW @ 3600 rpm |
| Bore x stroke | 95.4mm x 104.9mm | 80mm x 94.4mm |
| Displacement | 2999cc | 1898cc |
| Compression ratio | 16.3 : 1 | 15.9 : 1 |
| Cylinder head | Isuzu-patent special aluminium alloy | Isuzu-patent special aluminium alloy |
| Valve gear | Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder | Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder |
| Induction | Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger | Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger |
| Cylinder block | Cast iron upper with induction-hardened cylinder bores, cast alloy lower | Cast iron upper with induction-hardened cylinder bores, cast alloy lower |
| Emission level | Euro 5 | Euro 5 |
| Alternator | 90 amp with Intelligent Battery Sensor (IBS) | 90 amp with Intelligent Battery Sensor (IBS) |

Transmissions

| | | | | | | |
|-------------------|---|-----------------------|--------------------------|-------------------|-----------------------|--------------------------|
| Manual | 3.0L Engine: Isuzu MVL-6S 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and dual mass flywheel 1.9L Engine: Isuzu MVL-6Y 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and single mass flywheel | | | | | |
| Automatic | Aisin AWR6B45 II 6-speed with sequential shift and brake shift lock electronically controlled, tri-mode with fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 ► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking | | | | | |
| Ratios: 1 | 3.0L Turbo | 6-speed Manual | 6-speed Automatic | 1.9L Turbo | 6-speed Manual | 6-speed Automatic |
| | 1st | 4.942 | 3.600 | 1st | 4.942 | 3.600 |
| | 2nd | 2.452 | 2.090 | 2nd | 2.686 | 2.090 |
| | 3rd | 1.428 | 1.488 | 3rd | 1.527 | 1.488 |
| | 4th | 1.000 | 1.000 | 4th | 1.000 | 1.000 |
| | 5th | 0.749 | 0.687 | 5th | 0.749 | 0.687 |
| | 6th | 0.634 | 0.580 | 6th | 0.634 | 0.580 |
| | Reverse | 4.597 | 3.732 | Reverse | 4.597 | 3.732 |
| Final drive | 4x2 | 3.727 | 3.727 | 4x2 | 4.100 | 4.100 |
| | 4x4 | 3.727 | 3.727 | | - | - |
| | Snorkelled diff breathers to increase fording depth and reduce mud blockage | | | | | |
| Transfer gearing | 4x4 low-range | 2.482 | 2.482 | | | |
| | 4x4 high-range | 1.000 | 1.000 | | | |
| 4x4 system | "Terrain Command" control with 'shift on the fly' 2-high ↔ 4-high selection at up to 100km/h, 4-low with rear differential lock | | | | | |
| Drivetrain system | TCS (Traction Control System) on all model variants | | | | | |

Steering

| |
|---|
| Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel |
| Engine-speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel |

Chassis

Separate, full-length heavy-duty chassis with 8 cross members on all models

Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

LS-M and all Cab Chassis models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

4x2 and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

Axles

Front
Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rear
Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10" servo unit; central pull up park brake

Wheels and Tyres

| | |
|----------------|--|
| SX | 17" x 7" drilled Silver-Finish Steel; 255 / 65 R17 All-Terrain |
| LS-M | 17" x 7" alloy; 255 / 65 R17 All-Terrain |
| LS-U and LS-U+ | 18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain |
| X-TERRAIN | 18" x 7.5" matte Dark Grey Alloy; 265 / 60 R18 Highway-Terrain |
| All Models | Full size steel spare wheel |

Service Plus

| | |
|------------------------|---|
| Warranty | For the ultimate peace of mind, every Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty ¹ . |
| Roadside Assistance | Enjoy up to 7 years Roadside Assistance ² when you complete your scheduled services at a Participating Isuzu UTE Dealer. |
| Capped Price Servicing | As an owner you will get access to our Capped Price Servicing ³ Program. The CPS Program covers the first 7 Scheduled Services in line with the Scheduled Service Intervals. |

¹6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. ²The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer. ³The Capped Price Servicing Program ("CPS Program") applies to CPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 19MY & later vehicle models, the Capped Price Servicing covers the first 7 Scheduled Services for up to 7 years/105,000km (whichever occurs first). CPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/service-plus-disclaimer.

Safety

| | |
|------|--|
| IDAS | Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS ⁴) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features. |
|------|--|

⁴IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.

| | |
|--------------|---|
| ANCAP RATING | The entire D-MAX range has achieved a maximum 5-star ANCAP safety rating in 2022. |
|--------------|---|

SPECIFICATIONS

| | 4x2 High-Ride* | | | | | 4x4* | | | | | | | | | | |
|---|-----------------------|----------------------|---------------------|-----------------|-------------------|-----------------------|----------------------|--------------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|--------------------|------------------------|
| | Single Cab Chassis SX | Space Cab Chassis SX | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Ute LS-U | Single Cab Chassis SX | Space Cab Chassis SX | Space Cab Ute LS-U | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Chassis LS-M | Crew Cab Ute LS-M | Crew Cab Chassis LS-U | Crew Cab Ute LS-U | Crew Cab Ute LS-U+ | Crew Cab Ute X-TERRAIN |
| Engine | | | | | | | | | | | | | | | | |
| 1898cc DOHC 4cyl. with intercooled turbocharger (350Nm, 110kW) | ● | | ● | ● | | | | | | ● | | | | | | |
| 2999cc DOHC 4cyl. with intercooled turbocharger (450Nm, 140kW) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Transmissions | | | | | | | | | | | | | | | | |
| 6-speed manual transmission | ● | | | | | ● | | | ● | | | | | | | |
| 6-speed "Rev-Tronic" automatic transmission with sequential sport mode | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Safety and Security | | | | | | | | | | | | | | | | |
| 4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Electronic Stability Control (ESC) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Traction Control System (TCS) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Emergency Brake Assist (EBA) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Hill Start Assist (HSA) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Hill Descent Control (HDC) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Autonomous Emergency Braking (AEB) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Turn Assist with AEB | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Post-Collision Braking | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Forward Collision Warning (FCW) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Misacceleration Mitigation (*AT models only) | ●* | ● | ● | ● | ● | ●* | ● | ● | ●* | ● | ● | ● | ● | ● | ● | ● |
| Adaptive Cruise Control (ACC) with Stop and Go functionality (*AT models only) | ●* | ● | ● | ● | ● | ●* | ● | ● | ●* | ● | ● | ● | ● | ● | ● | ● |
| Traffic Sign Recognition (TSR) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Intelligent Speed Limiter | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Manual Speed Limiter | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Lane Departure Warning (LDW) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Lane Departure Prevention (LDP) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Lane Keep Assist (LKA) (*AT models only) | ●* | ● | ● | ● | ● | ●* | ● | ● | ●* | ● | ● | ● | ● | ● | ● | ● |
| Emergency Lane Keeping (ELK) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Driver Attention Assist | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Blind Spot Monitoring (BSM) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear Cross Traffic Alert (RCTA) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| BSM/RCTA Auto Switch Off (disables BSM/RCTA when the genuine tow harness is connected) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Reversing camera | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear Park Assist Sensors | | | | | ● | | | ● | | | | | | | | ● |
| Front Park Assist Sensors | | | | | ● | | | ● | | | | | | | | ● |
| 8 Airbags: dual front, curtain, side, driver's knee and far side airbags | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Passenger side SRS airbag on/off switch | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Height-adjustable upper mounts for front seat belts | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Pre-tensioners with load limiters for front seat belts | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Pre-tensioners with load limiters for outer rear seat belts | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 3-point retractable seat belts for all rear and centre seating positions | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Intelligent seatbelt reminder (all seats) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 2 childseat tethers and ISO FIX compatible anchor points | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Height-adjustable head restraints for full-size seats | | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Integrated head restraint on front seats | ● | | | | | ● | | | | | | | | | | |
| Child-proof rear door locks | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Single 10 inch servo brake master cylinder | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Side anti-intrusion bars inside all doors | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Engine immobilizer | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear window demister | | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| High Density Polyethylene (HDPE) fuel tank | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| High mount brake light on cabin | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Dual horn | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Protection | | | | | | | | | | | | | | | | |
| Under-front steel skid plate | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank | | | | | ● | | | ● | | | | | | | | ● |
| Suspension and Brakes | | | | | | | | | | | | | | | | |
| Standard rear leaf suspension | | | | ● | ● | | | ● | | | | | | ● | ● | ● |
| Heavy duty rear leaf suspension | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 295mm rear drums | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |

*Limited stock available on these models. Please contact your local Isuzu UTE Dealer for more information.

SPECIFICATIONS

In-cabin Storage

| | 4x2 High-Ride* | | | | | 4x4* | | | | | | | | | | |
|---|-----------------------|----------------------|---------------------|-----------------|-------------------|-----------------------|----------------------|--------------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|--------------------|------------------------|
| | Single Cab Chassis SX | Space Cab Chassis SX | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Ute LS-U | Single Cab Chassis SX | Space Cab Chassis SX | Space Cab Ute LS-U | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Chassis LS-M | Crew Cab Ute LS-M | Crew Cab Chassis LS-U | Crew Cab Ute LS-U | Crew Cab Ute LS-U+ | Crew Cab Ute X-TERRAIN |
| Lower glovebox compartment only | ● | ● | ● | ● | | ● | ● | | ● | ● | | ● | ● | ● | ● | ● |
| Upper and lower glovebox compartments | | | | | ● | | | ● | | | ● | ● | ● | ● | ● | ● |
| Power outlet in lower instrument panel | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Centre floor console | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Dual-purpose driver and front passenger cup holder tray | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear passenger door cup holders | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Pockets on backs of front seats | | | | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Overhead console with twin map lights and flip-down sunglasses case | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front door storage compartment with bottle bulge | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 2 coat hooks | | | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Flip up convenience hook behind passenger front seat | | | | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tool storage behind rear seats | | ● | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tool storage behind front seats | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |

Rear Tub

| | | | | | | | | | | | | | | | | |
|---------------------------------------|--|--|--|---|---|--|--|---|---|--|---|---|---|---|---|---|
| Double-walled ute tub | | | | ● | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| 4 cargo tie-down hooks inside ute tub | | | | ● | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Under rail tub liner | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| 2 cargo tie-down hooks inside ute tub | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Tailgate Assist | | | | ● | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |

Exterior Style

| | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Short front overhang for optimal manoeuvrability and approach angle | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Halogen multi-reflector project lens headlights for extra low beam depth and reduced flare | ● | ● | ● | ● | | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● |
| Bi-LED headlights with auto-levelling function | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Automatic headlights | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Automatic high beam | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Coming home light | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Welcome light | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| LED Daytime Running Lights (DRLs) | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| LED fog lights | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Black radiator grille | ● | ● | ● | ● | | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● |
| Black-Grey radiator grille | | | | | | | | | | ● | ● | | | | | |
| Chrome radiator grille | | | | | ● | | | | | | | | | | | |
| Dark Grey radiator grille | | | | | | | | | | | | ● | ● | ● | ● | ● |
| Colour-coded front bumper | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Colour-coded integrated rear step bumper | | | | ● | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Black rear bumper | ● | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Factory fitted tow bar receiver | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Space cab rear "wing" doors | | ● | | | | | | ● | ● | | | | | | | |
| Aluminium side steps | | | | | ● | | | ● | ● | | | ● | ● | ● | ● | ● |
| Dark Grey side steps | | | | | | | | | | | | | | | | ● |
| Black door and tailgate handles | ● | ● | ● | ● | | ● | ● | ● | ● | | ● | ● | | | | |
| Colour-coded door and tailgate handles | | | | | | | | | | ● | ● | | | | | |
| Chrome door and tailgate handles | | | | | ● | | | ● | ● | | | ● | ● | ● | ● | ● |
| Dark Grey door and tailgate handles | | | | | | | | | | | | | | | | ● |
| Lockable tailgate | | | | ● | ● | | | ● | ● | | ● | ● | ● | ● | ● | ● |
| Dark Grey Aero Sports Bar | | | | | | | | | | | | | | | | ● |
| Matte Black roller tonneau | | | | | | | | | | | | | | | | ● |
| Dark Grey front and rear underbody spoilers | | | | | | | | | | | | | | | | ● |
| Dark Grey fender flares | | | | | | | | | | | | | | | | ● |
| Dark Grey roof rails | | | | | | | | | | | | | | | | ● |
| Black power door mirrors | ● | ● | ● | ● | | ● | ● | ● | ● | | | | | | | |
| Colour-coded power door mirrors with integrated turn indicators | | | | | | | | | | ● | ● | | | | | |
| Chrome fold-in power door mirrors with integrated turn indicators | | | | | ● | | | ● | ● | | | ● | ● | ● | ● | ● |
| Dark Grey fold-in power door mirrors with integrated turn indicators | | | | | | | | | | | | | | | | ● |
| Heated door mirrors | | | | | ● | | | ● | ● | | | ● | ● | ● | ● | ● |
| Centre front roof-mounted bee-sting aerial | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| LED rear combination lamps | | | | | ● | | | ● | ● | | | | ● | ● | ● | ● |

*Limited stock available on these models. Please contact your local Isuzu UTE Dealer for more information.

SPECIFICATIONS

| | 4x2 High-Ride* | | | | | 4x4* | | | | | | | | | | |
|---|-----------------------|----------------------|---------------------|-----------------|-------------------|-----------------------|----------------------|--------------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|--------------------|------------------------|
| | Single Cab Chassis SX | Space Cab Chassis SX | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Ute LS-U | Single Cab Chassis SX | Space Cab Chassis SX | Space Cab Ute LS-U | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Chassis LS-M | Crew Cab Ute LS-M | Crew Cab Chassis LS-U | Crew Cab Ute LS-U | Crew Cab Ute LS-U+ | Crew Cab Ute X-TERRAIN |
| Seating | | | | | | | | | | | | | | | | |
| Standard Black cloth seats | ● | ● | ● | ● | | ● | ● | | ● | ● | | | | | | |
| High Grade cloth seats | | | | | ● | | | ● | | | ● | ● | ● | ● | | |
| Leather Accented seats | | | | | | | | | | | | | | | ● | |
| Leather Accented seats with Red Stitching | | | | | | | | | | | | | | | | ● |
| Front bucket whiplash protection seats | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 6-way adjustable driver seat | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| 8-way electric adjustable driver seat | | | | | | | | | | | | | | | ● | ● |
| Electric adjustable lumbar support (driver seat only) | | | | | ● | | | ● | | | | | ● | ● | ● | ● |
| Heated front seats | | | | | | | | | | | | | | | ● | ● |
| Split-fold rear seat | | | ● | ● | | | | | ● | ● | | | | | ● | ● |
| Split-fold rear seat with centre arm rest | | | | | ● | | | | | ● | ● | | | ● | ● | ● |
| Rear centre seat headrest | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Cabin Amenities | | | | | ● | | | ● | | | | | ● | ● | ● | ● |
| Dual zone climate control air-conditioning with integrated heater/demister | | | | | ● | | | | | | | | ● | ● | ● | ● |
| Manual air-conditioning with integrated heater/demister | ● | ● | ● | ● | | ● | ● | | ● | ● | ● | ● | | | | |
| Rear seat air-conditioning vents | | | ● | ● | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Pollen and fine particle air filter | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Power windows with one-touch up/down driver's window with safety stop and delay closing | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Comfort turn signal | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Central locking with keyless entry | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Smart keyless entry | | | | | ● | | | | | | | | | | ● | ● |
| Walk away lock | | | | | ● | | | | | | | | | | ● | ● |
| Push button start | | | | | ● | | | | | | | | | | ● | ● |
| Remote engine start | | | | | ● | | | | | | | | | | ● | ● |
| Power-adjustable door mirrors with turn indicator lights | | | | | ● | | | ● | | | ● | ● | ● | ● | ● | ● |
| Power-adjustable door mirrors | ● | ● | ● | ● | | ● | ● | | ● | ● | | | | | | |
| 4 speaker sound system | ● | ● | ● | ● | | ● | ● | | ● | ● | | | | | | |
| 6 speaker sound system | | | | | | | | | | | ● | ● | | | | |
| "Sky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof) | | | | | ● | | | | | | | | ● | ● | ● | ● |
| 9 inch touchscreen display with Apple CarPlay® and Android Auto™ | | | | | ● | | | ● | | | | | ● | ● | ● | ● |
| 7 inch touchscreen display with Apple CarPlay® and Android Auto™ | ● | ● | ● | ● | | ● | ● | | ● | ● | ● | ● | | | | |
| Built-in satellite navigation with MID turn-by-turn directions | | | | | ● | | | ● | | | | | ● | ● | ● | ● |
| Rear centre console USB charging port | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Tilt and telescopic adjustable steering wheel with electric power steering | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Urethane steering wheel with cruise, audio and voice recognition controls | ● | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | ● | ● |
| Leather steering wheel with cruise, audio and voice recognition controls | | | | | ● | | | ● | | | | ● | ● | | | ● |
| Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tyre Pressure Monitoring System (TPMS) | | | | | ● | | | ● | | | | | ● | ● | ● | ● |
| Electro-luminescent gauges | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| *Terrain Command™ 4x4 select dial | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rear differential lock button | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Automatic windshield wipers | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Intuitive flat wiper blade | | | | | ● | | | ● | | | | ● | ● | ● | ● | ● |
| Day/night interior rear view mirror | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Auto-dimming rear view mirror | | | | | ● | | | ● | | | | ● | ● | ● | ● | ● |
| Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver) | | | | | ● | | | ● | | | | ● | ● | | | |
| Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver) | | | | | ● | | | ● | | | | ● | ● | | | |
| Fixed A-pillar assist-grips for driver and front passenger | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Fixed B-pillar assist-grips for rear passengers | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Folding assist-grips for driver and front passenger | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Folding assist-grips for rear passengers | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| Carpet flooring | | | | | ● | | | ● | | | | ● | ● | ● | ● | ● |
| Easy-clean vinyl flooring | ● | ● | ● | ● | | ● | ● | | ● | ● | ● | ● | | | | |

Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local rules before using these functions. *Limited stock available on these models. Please contact your local Isuzu UTE Dealer for more information.

FUEL, WEIGHTS & DIMENSIONS

D-MAX ADR 81/02^A Fuel Consumption Values

| | 4x2 High-Ride ⁺ | | | | | | | | 4x4 ⁺ | | | | | | | | | | | | |
|--|----------------------------|----------|----------------------|------|---------------------|------|-----------------|------|-------------------|------|-----------------------|----------------------|--------------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|--------------------|------------------------|
| | Single Cab Chassis SX | | Space Cab Chassis SX | | Crew Cab Chassis SX | | Crew Cab Ute SX | | Crew Cab Ute LS-U | | Single Cab Chassis SX | Space Cab Chassis SX | Space Cab Ute LS-U | Crew Cab Chassis SX | Crew Cab Ute SX | Crew Cab Chassis LS-M | Crew Cab Ute LS-M | Crew Cab Chassis LS-U | Crew Cab Ute LS-U | Crew Cab Ute LS-U+ | Crew Cab Ute X-TERRAIN |
| | 1.9L | 3.0L | 1.9L | 3.0L | 1.9L | 3.0L | 1.9L | 3.0L | 1.9L | 3.0L | MT / AT | AT | AT | MT / AT | AT | AT | AT | AT | AT | AT | AT |
| Transmission (MT = Manual, AT = Automatic) | MT/AT | MT/AT | AT | AT | AT | AT | AT | AT | MT / AT | AT | AT | AT | MT / AT | AT | AT | AT | AT | AT | AT | AT | AT |
| FUEL CONSUMPTION (litres/100km) | | | | | | | | | | | | | | | | | | | | | |
| Combined | 7.0 | 8.0 | 8.0 | 7.0 | 8.0 | 6.7 | 7.7 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 6.9 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 |
| Urban | 8.1/7.9 | 10.2/9.8 | 9.8 | 7.9 | 9.8 | 8.3 | 9.5 | 9.8 | 10.2/9.8 | 9.8 | 9.8 | 10.2/9.8 | 8.1 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 |
| Extra Urban | 6.5/6.6 | 6.7/6.9 | 6.9 | 6.6 | 6.9 | 6.0 | 6.7 | 6.9 | 6.7/6.9 | 6.9 | 6.9 | 6.7/6.9 | 6.3 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 |
| CO² (g/km) | | | | | | | | | | | | | | | | | | | | | |
| Combined | 183/184 | 206/207 | 207 | 184 | 207 | 177 | 200 | 207 | 206/207 | 207 | 207 | 206/207 | 180 | 207 | 207 | 207 | 207 | 207 | 207 | 207 | 207 |
| Urban | 212/208 | 262/254 | 254 | 208 | 254 | 218 | 246 | 254 | 262/254 | 254 | 254 | 262/254 | 212 | 254 | 254 | 254 | 254 | 254 | 254 | 254 | 254 |
| Extra Urban | 170/174 | 174/180 | 180 | 174 | 180 | 158 | 174 | 180 | 174/180 | 180 | 180 | 174/180 | 165 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 |

Dimensions (mm unless stated otherwise)

| | | | | | | | | | | | | | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Wheelbase | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 |
| Overall length | 5330 | 5290 | 5290 | 5270 | 5275 | 5330 | 5290 | 5275 | 5290 | 5270 | 5290 | 5270 | 5290 | 5270 | 5290 | 5270 | 5290 | 5275 | 5275 | 5303 | 5303 |
| Overall width (excluding door mirrors) | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 | 1880 | 1880 |
| Overall height (*depends on body fitted) | 1790* | 1800* | 1800* | 1800* | 1785 | 1790 | 1790 | 1790 | 1800* | 1800* | 1785 | 1800* | 1785 | 1800* | 1785 | 1805* | 1790 | 1790 | 1790 | 1810 | 1810 |
| Front overhang | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 905 | 905 |
| Rear overhang (*depends on body fitted) | 1310* | 1270* | 1270* | 1250 | 1250 | 1310* | 1270* | 1250 | 1270* | 1250 | 1270* | 1250 | 1270* | 1250 | 1270* | 1250 | 1270* | 1250 | 1250 | 1250 | 1250 |
| Wheel track width | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| Ground clearance | 235 | 235 | 235 | 235 | 240 | 235 | 235 | 240 | 235 | 235 | 240 | 235 | 235 | 235 | 240 | 240 | 240 | 240 | 240 | 240 | 240 |
| Turning circle diameter between kerbs (metres) | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 |
| Approach angle | 29.6° | 29.6° | 30° | 30° | 30.5° | 29.6° | 29.6° | 30.5° | 29.6° | 30° | 29.6° | 30° | 29.6° | 30° | 30° | 30.5° | 30.5° | 30.5° | 30.5° | 30.5° | 30.5° |
| Departure angle | 24.6° | 25.3° | 25.3° | 23.9° | 19.0° | 24.6° | 25.3° | 19.0° | 25.3° | 23.9° | 25.3° | 23.9° | 23.9° | 25.3° | 23.9° | 20.6° | 19.0° | 19.0° | 19.0° | 19.0° | 19.0° |
| Ramp-over angle | 23.9° | 23.9° | 23.9° | 23.3° | 23.8° | 23.9° | 23.9° | 23.8° | 23.9° | 23.3° | 23.3° | 23.3° | 23.3° | 23.3° | 23.3° | 24.3° | 23.8° | 23.8° | 23.8° | 23.8° | 23.8° |

Load area (mm)

| | | | | | | | | | | | | | | | | | | | | | |
|---|-------|-------|-------|------|------|-------|-------|------|-------|------|-------|------|-------|------|-------|------|------|------|------|------|------|
| Cab to rear axle | 1240 | 765 | 450 | 450 | 450 | 1240 | 765 | 765 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| Length (top) | - | - | - | 1495 | 1495 | - | - | 1805 | - | 1495 | - | 1495 | - | 1495 | - | 1495 | - | 1495 | 1495 | 1495 | 1495 |
| Length (floor) (*inside genuine accessory tray body) | 2550* | 2100* | 1800* | 1570 | 1570 | 2550* | 2100* | 1835 | 1800* | 1570 | 1800* | 1570 | 1800* | 1570 | 1800* | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| Maximum width (*inside genuine accessory alloy tray body) | 1777* | 1777* | 1777* | 1530 | 1530 | 1777* | 1777* | 1530 | 1777* | 1530 | 1777* | 1530 | 1777* | 1530 | 1777* | 1530 | 1530 | 1530 | 1530 | 1530 | 1530 |
| Width between wheel houses | - | - | - | 1122 | 1122 | - | - | 1122 | - | 1122 | - | 1122 | - | 1122 | - | 1122 | - | 1122 | 1122 | 1122 | 1122 |
| Depth | - | - | - | 490 | 490 | - | - | 490 | - | 490 | - | 490 | - | 490 | - | 490 | - | 490 | 490 | 490 | 490 |

Interior (mm)

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Leg room - front | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 | 1075 |
| Leg room - rear | - | - | 905 | 905 | 905 | - | - | - | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 | 905 |
| Shoulder room - front | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 | 1460 |
| Head room - front | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 |
| Rear cargo space | - | 730 | - | - | - | - | 730 | 730 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Mass (kg)

| | | | | | | | | | | | | | | | | | | | | | |
|--|-----------|-----------|------|------|------|------|------|------|-----------|------|------|-----------|------|------|------|------|------|------|------|------|------|
| Gross Vehicle Mass (GVM) | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 | 3100 |
| Kerb weight [†] | 1595/1620 | 1695/1700 | 1770 | 1745 | 1825 | 1865 | 1950 | 2025 | 1780/1790 | 1855 | 2065 | 1900/1910 | 1950 | 2035 | 1905 | 2030 | 1970 | 2110 | 2115 | 2175 | 2175 |
| Payload [‡] (cab chassis models: final mass depends on body fitted) | 1405/1380 | 1305/1300 | 1230 | 1255 | 1175 | 1135 | 1050 | 975 | 1320/1310 | 1245 | 1035 | 1200/1190 | 1150 | 1065 | 1195 | 1070 | 1130 | 990 | 985 | 925 | 925 |
| Gross Combination Mass (GCM) | 5300/5500 | 5850 | 5850 | 5500 | 5850 | 5500 | 5850 | 5850 | 6000 | 6000 | 6000 | 6000 | 5500 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 |
| Maximum towing mass (braked trailer) | 2800/3000 | 3500 | 3500 | 3000 | 3500 | 3000 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3000 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| Maximum towing mass (non-braked trailer) | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 |
| Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit) | 280/300 | 350 | 350 | 300 | 350 | 300 | 350 | 350 | 350 | 350 | 350 | 300 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| Fuel tank capacity (litres) | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |

^AFuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition.





[†]Kerb weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001.

[‡]Payload equals GVM minus kerb weight. [†]Limited stock available on these models. Please contact your local Isuzu UTE Dealer for more information.





CAB CHASSIS BODY STYLES AND DIMENSIONS (23MY)







SX Single Cab Chassis 4x2 & 4x4







SX Space Cab Chassis 4x2 & 4x4



SX Crew Cab Chassis 4x2 & 4x4






LS-M Crew Cab Chassis 4x4






CAB CHASSIS AND UTE BODY STYLES AND DIMENSIONS (23MY)






LS-U Crew Cab Chassis 4x4



SX Crew Cab Ute 4x2 & 4x4






LS-M Crew Cab Ute 4x4






UTE BODY STYLES AND DIMENSIONS (23MY)






LS-U Space Cab Ute 4x4



**LS-U Crew Cab Ute 4x2 & 4x4
LS-U+ Crew Cab Ute 4x4**



X-TERRAIN Crew Cab Ute 4x4



COLOURS AND TRIM (23MY)

Body Colours



Basalt Black mica



Mercury Silver metallic



Mineral White



Neptune Blue mica



Obsidian Grey mica



Moonstone White pearl
(LS-U Range & X-TERRAIN Exclusive)



Magnetic Red mica
(LS-U Range & X-TERRAIN Exclusive)



Granite Grey mica
(X-TERRAIN Exclusive)



Volcanic Amber metallic
(X-TERRAIN Exclusive)

Interior Trim



Standard Black Cloth
(On SX models)



High Grade Cloth
(On LS-M & LS-U models)



Leather Accented[†]
(On LS-U+)



Leather Accented[†] with Red Stitching
(On X-TERRAIN)

[†]Seats have leather touches or accents, but are not wholly leather.

TRAY STYLES

Economy Alloy

General Purpose Alloy

Heavy Duty Alloy

Heavy Duty Steel

Mine Specification Steel



Single



Space



Crew



Please read with the 23MY Isuzu D-MAX vehicle brochure. All information is true and correct at the time of publishing, December 2022. Isuzu UTE Australia reserves the right to change specifications and features at any time. Colours depicted herein may differ from actual. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories.

